# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 13645 | power adj mode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:02 |
| L2 | 151 | (first 1st) adj L1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:02 |
| L3 | 160 | (second 2nd) adj L1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:02 |
| L4 | 116 | L2 same L3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:03 |
| L5 | 5 | L4 same enable | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:04 |
| L6 | 49 | L4 same signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:06 |
| L7 | 1 | L6 same (pull-up) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:03 |
| L8 | 7 | L6 same select$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:15 |

| L9 | 1 | L2 near3 (pull-up increase (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:16 |
|---|---|---|---|---|---|---|
| L10 | 1 | L3 near3 (pull-up increase (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:17 |
| L11 | 0 | L1 near3 ((based adj on) (according adj to)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:19 |
| L12 | 411 | L1 near3 (based) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:19 |
| L13 | 4 | L12 near3 enable | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:21 |
| L14 | 54 | L12 near3 signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:22 |
| L15 | 21 | L14 same (first 1st second 2nd multi) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:27 |
| L16 | 2219 | bus near3 (enable adj signal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:27 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| L17 | 1 | L16 near3 (power adj mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:28 |
| L18 | 1 | L16 near5 (power adj mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:28 |
| L19 | 1 | L16 near7 (power adj mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:58 |
| L20 | 2136 | (interface port) with (sleep (low adj power adj (mode state))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:38 |
| L21 | 226 | L20 same enable | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:59 |
| L22 | 0 | L21 same ((pull adj up) pull-up) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:39 |
| L23 | 1 | (L16 near7 (power adj mode)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:59 |
| L24 | 8 | (L20 same enable).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 13:59 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S1 | 8 | "5990575".pn. "6415342".pn. "6441595".pn. "20030120847" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 12:59 |
| S2 | 674 | bus adj interface adj control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:55 |
| S3 | 1 | (multi-mode or (multi adj mode)) adj power adj source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:56 |
| S4 | 1865 | pull-up adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:57 |
| S5 | 28 | S4 same (pull-up adj voltage$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:59 |
| S6 | 2183 | pull adj up adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:58 |
| S7 | 2183 | S4 or S6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:58 |
| S8 | 44 | S7 same (pull adj up adj voltage$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:59 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S9 | 1 | S2 same S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:02 |
| S10 | 4 | S2 same diode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:05 |
| S11 | 6212 | control$4 near3 (bus adj interface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:06 |
| S12 | 1 | S11 same S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:06 |
| S13 | 36 | S11 same diode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:19 |
| S14 | 5535 | (connect$4 associat$4 coupl$4 hook$4 interfac$4 link$4) near3 (board$1 blade$1) near3 bus$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:31 |
| S15 | 145 | (isolat$4 disconnect$4 dissoctiat$4 seperat$4 uncoupl$4 parting disjoin$4) near3 (board$1 blade$1) near3 bus$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:32 |
| S16 | 37 | S14 same S15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:26 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S17 | 15108 | (sav$4 minimiz$4 conserv$4 manag$4 reserv$4 reduc$4 decreas$4 lessen$4) near3 (space (real adj estate)) near3 (board$1 system$1 circuit$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:32 |
| S18 | 0 | S16 same S17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:30 |
| S19 | 9647 | (connect$4 associat$4 coupl$4 hook$4 interfac$4 link$4) near5 (board$1 blade$1) near5 bus$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:31 |
| S20 | 267 | (isolat$4 disconnect$4 dissoctiat$4 seperat$4 uncoupl$4 parting disjoin$4) near5 (board$1 blade$1) near5 bus$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:32 |
| S21 | 117 | S19 same S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:33 |
| S22 | 25521 | (sav$4 minimiz$4 conserv$4 manag$4 reserv$4 reduc$4 decreas$4 lessen$4) near5 (space (real adj estate)) near5 (board$1 system$1 circuit$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:34 |
| S23 | 0 | S21 same S22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:35 |
| S24 | 121 | diode$1 with S22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 09:35 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S25 | 2074 | (system host) adj slot$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:34 |
| S26 | 5870 | peripheral adj slot$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:35 |
| S27 | 38 | S25 with S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:36 |
| S28 | 5 | dual adj mode adj (board$1 blade$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:35 |
| S29 | 43 | S25 same S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:36 |
| S30 | 2185 | pull adj up adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:04 |
| S31 | 227 | power$4 near5 S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:05 |
| S32 | 75 | S31 with signal$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:15 |

| S33 | 1 | S32 with (power adj mode$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:06 |
|---|---|---|---|---|---|---|
| S34 | 9 | S32 with (power adj source$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:06 |
| S35 | 1 | selective$3 near2 supply$4 near3 (pull adj up adj voltage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:16 |
| S36 | 66 | supply$4 near3 (pull adj up adj voltage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:21 |
| S37 | 648 | (pull adj up) near5 (signal adj line$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:30 |
| S38 | 1 | multi adj mode adj power adj source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:26 |
| S39 | 618 | (pull adj up) near5 (power adj source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:30 |
| S40 | 26 | S37 with S39 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:26 |

# EAST Search History

| S41 | 35 | (pull adj up adj circuit$1) near5 (signal adj line$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:45 |
|-----|------|---------------------------------------------|---------------------------------------------------|----|-----|-------------------|
| S42 | 85495 | (pull adj up circuit$1) near5 (power adj source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:30 |
| S43 | 31 | (pull adj up adj circuit$1) near5 (power adj source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:31 |
| S44 | 0 | S41 with S43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:31 |
| S45 | 2 | S41 same S43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:36 |
| S46 | 5 | dual adj mode adj (board blade) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:40 |
| S47 | 11 | (pull adj up adj circuit$1) with (voltage adj regulator) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:41 |
| S48 | 89 | (pull adj up adj circuit$1) with ((voltage adj regulator) or (power adj source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:53 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S49 | 2 | S48 with S41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:41 |
| S50 | 7625 | ((voltage adj regulator) or (power adj source)) near3 diode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:45 |
| S51 | 1153 | (signal adj line$1) near3 diode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:45 |
| S52 | 7 | S50 with S51 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:52 |
| S53 | 522 | (pull adj up adj resistor$1) near5 diode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:52 |
| S54 | 16 | ((voltage adj regulator) or (power adj source)) near5 S53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:53 |
| S55 | 4 | S54 near5 signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 08:53 |
| S56 | 1 | multi-mode adj power adj source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:11 |

| S57 | 944 | (power adj source) with pull-up | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:12 |
|-----|-----|-------------------------------|---------------------------------------------------|----|-----|------------------|
| S58 | 552 | (power adj source) near5 pull-up | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:12 |
| S59 | 0 | S58 with mode41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:13 |
| S60 | 38 | S58 with mode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:12 |
| S61 | 17 | S60 with circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:30 |
| S62 | 151 | (voltage adj regulator) with (pull-up (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:31 |
| S63 | 12 | S62 with mode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:44 |
| S64 | 1 | S63 with circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:31 |

| S65 | 2194 | ((pull adj up) pull-up) adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:45 |
|---|---|---|---|---|---|---|
| S66 | 89 | S65 with ((power adj source) (voltage adj regulator)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 10:07 |
| S67 | 3440 | 713/300,320,324,340.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:48 |
| S68 | 0 | S66 and S67 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 09:49 |
| S69 | 2 | S66 same (blade$1 board$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/25 10:07 |
| S70 | 2196 | (pull-up (pull adj up)) adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 11:21 |
| S71 | 343 | S70 near3 signal$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 11:22 |
| S72 | 14 | S71 with ((voltage adj regulator$1) or (power adj source$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 14:44 |

| S73 | 2 | "5586271".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 14:45 |
|---|---|---|---|---|---|---|
| S74 | 2 | "6078979".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 14:55 |
| S75 | 43 | ((pull$1up or (pull adj up)) adj (resistor$1 resistance)) same (bus with isolat$5) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 15:00 |
| S76 | 98 | (isolat$5 with bus) same (pull$up or (pull adj up)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/30 12:37 |
| S77 | 0 | (isolat$5 with bus) same (pull$up or (pull adj up)) same (each with (line or signal)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 15:00 |
| S78 | 0 | (isolat$5 with bus) same (pull$up or (pull adj up)) same (each) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 15:01 |
| S79 | 3 | (each with (line or signal)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 15:01 |
| S80 | 17 | (isolat$5 with bus) same (pull$up or (pull adj up)) same diode | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/26 15:01 |

| S81 | 0 | (isolat$5 with bus with each) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 15:01 |
|---|---|---|---|---|---|---|
| S82 | 2364 | (isolat$5 with bus with (signal or line)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 15:04 |
| S83 | 42 | (isolat$5 with bus with (signal or line) with individual) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 15:04 |
| S84 | 73 | selectiv$6 with isolat$6 with signal with bus | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/26 15:04 |
| S85 | 1854 | (diode) with (pull$up or (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 12:46 |
| S86 | 62 | S85 with isolat$7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 12:44 |
| S87 | 45 | S86 same circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 12:47 |
| S88 | 13038 | schottky near3 diode | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 12:46 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S89 | 80 | (schottky near3 diode) with (pull$up or (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 12:47 |
| S90 | 66 | S89 same circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 12:47 |
| S91 | 1 | (multi-mode or (multi adj mode)) adj power adj source | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S92 | 1992 | pull-up adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S93 | 29 | S92 same (pull-up adj voltage$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S94 | 2332 | pull adj up adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S95 | 2332 | S92 or S94 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S96 | 719 | bus adj interface adj control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |

| S97 | 48 | S95 same (pull adj up adj voltage$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
|---|---|---|---|---|---|---|
| S98 | 1 | S96 same S97 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S99 | 6797 | control$4 near3 (bus adj interface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S10 0 | 37 | S99 same diode$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:05 |
| S10 1 | 5942 | (connect$4 associat$4 coupl$4 hook$4 interfac$4 link$4) near3 (board$1 blade$1) near3 bus$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S10 2 | 148 | (isolat$4 disconnect$4 dissoctiat$4 seperat$4 uncoupl$4 parting disjoin$4) near3 (board$1 blade$1) near3 bus$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S10 3 | 39 | S101 same S102 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S10 4 | 16592 | (sav$4 minimiz$4 conserv$4 manag$4 reserv$4 reduc$4 decreas$4 lessen$4) near3 (space (real adj estate)) near3 (board$1 system$1 circuit$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |

| S10 5 | 0 | S103 same S104 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
|---|---|---|---|---|---|---|
| S10 6 | 2281 | (system host) adj slot$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S10 7 | 5959 | peripheral adj slot$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S10 8 | 53 | S106 same S107 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S10 9 | 2332 | pull adj up adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S11 0 | 242 | power$4 near5 S109 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S11 1 | 84 | S110 with signal$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |
| S11 2 | 11 | S111 with (power adj source$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:06 |

| S11 3 | 706 | (pull adj up) near5 (signal adj line$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
|---|---|---|---|---|---|---|
| S11 4 | 646 | (pull adj up) near5 (power adj source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S11 5 | 27 | S113 with S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S11 6 | 2332 | ((pull adj up) pull-up) adj circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S11 7 | 96 | S116 with ((power adj source) (voltage adj regulator)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S11 8 | 4082 | 713/300,320,324,340.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S11 9 | 0 | S117 and S118 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S12 0 | 1945 | (diode) with (pull$up or (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S12 1 | 64 | S120 with isolat$7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S12 2 | 47 | S121 same circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S12 3 | 82 | (schottky near3 diode) with (pull$up or (pull adj up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |
| S12 4 | 68 | S123 same circuit$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 15:07 |